

# HOMESTEAD

BY HICKORY IMPRESSIONS







# Hickory Homestead is the ideal choice for stunning natural timber that captures the Australian classic style

# Hickory Impressions Homestead

Crafted with modern chisel cut techniques, our Hickory Impressions Homestead range is creating a new standard in timber flooring designed for the Australian market whilst achieving an elegant design with a touch of rustic charm.

Skilled craftsmen finish each plank using carefully selected top-quality hardwood from North America, resulting in a floor that tells a story through knots, mineral streaks, bird peaks, cracks and the subtle artistry of hand scraping and tool marks.

Australian Select Timbers offers you a durable and low-maintenance solution, perfectly suited for the demands of family life.

More than a flooring option, it's a practical lifestyle decision, maintaining its character with ease for generations.



# **Hickory Profile**

With centuries of experience, the processing of native hardwoods in North America dates back to the industry's rich history. The sustainability of American hardwood forests stands as a global benchmark due to its diligent application of Best Management Practices (BMP). These expansive hardwood forests not only sustain a thriving standard of timber but also support a diverse wildlife population, underscoring the success of their conservation efforts.

Hickory, a prized hardwood variety, remains far from endangered, revered for its remarkable strength, toughness, durability and hardness. Widely sought after, American Hickory can be found in tool handles, drumsticks, baseball bats, wooden wheels, furniture and flooring.

Our chisel cut Hickory Impressions Homestead pays homage to this legacy, meticulously handcrafted with a range of board lengths to replicate the timeless appeal of a traditional solid timber floor.

The 2100mm long board is complemented by random lengths starting from 600mm and upwards, while the 178mm wide plank seamlessly harmonises with diverse design styles, infusing a tasteful authenticity into any home. The Hickory Impressions Homestead, lightly hand scraped with surface brushing and artfully adorned with tool marks, exudes a time-worn look and texture – a nod to a historic style that is both enduring and timeless.





# The Range

From deep and luxurious mahogany to rustic and earthy chestnut, the Hickory Homestead colour range has been carefully selected to suit every style and preference.


Whether you're aiming for a classic look, natural rustic charm or a cozy and inviting ambience, we have the perfect colour choice to transform your home.

I	Dimensions	2100mm x 178mm x 12mm*
	Veneer	2mm American Hickory
I	Surface Coating	UV Lacquer 9 - 11 Coats
I	Surface Finish	Matte, Rustic Hand Scraped
I	Joining System	Tongue and Groove
I	Edging	Bevelled
I	Pack Size	2.243m²
I	Pack Weight	19kg
Ī	Board Lengths	50% Nested Boards in Packs*

\*Boards length & width may vary from batch to batch due to the unique character of Amercian Hickory materials. Nested boards refers that the packs contain both short & full length boards. Minimum length 600mm.



# Colours







The Tongue and Groove joining system provides superior strength and stability to minimise floor movement

# **Tongue and Groove**

The Tongue and Groove (T&G) joining system is a tried and tested profile that provides superior strength and stability whilst also minimising floor movement.

The T&G joining system allows more options when it comes to the installation process, making it the preferred choice amongst most professional builders and installers.

The prime benefit of a T&G profile is that you can choose to use either the 'Glue Down Method' or 'Floating Floor Method' installation option.

With fewer installation issues and minimised concerns about movement, the T&G joining system makes it a versatile option in any space.

### Glue Down Installation Method

Compared with other locking systems, the T&G joining system is easy to install and easy to use, resulting in a perfectly solid feeling with no movement\*. Glue is applied by a professional directly under the boards for a stable finish.

### Floating Floor Installation Method

Where the floating floor method is preferred, the T&G joining system requires the use of a crosslinking PVA adhesive between the boards. This secure bond reduces any potential creaking and squeaking from your floor while also ensuring the joining system does not loosen up. The glue between the joints also acts as a sealant, so that in the case of any spillages, it limits water seeping in between the floorboards.

<sup>\*</sup>Subject to subfloor levelling.



It's what's on the inside that counts









At Australian Select Timbers we take pride in our commitment to sustainability.

Hickory Impressions uses up to 90% less Hickory in the top veneer when compared to a traditional solid Hickory floor. We are proud to contribute positive change to the flooring industry by reducing our impact on the environment by selecting only certified and forestry managed plantation timbers.

For more information visit asttimbers.com.au

Hickory Impressions Flooring



VS

Traditional Solid Hickory Flooring



## SelectAccessories



### SelectUnderlay - 2mm and 3mm

Available in 2mm or 3mm, our EVA Acoustic Underlay offers a higher density fabrication compared to standard closed cell foam, exceeding thermal and acoustic standards for residential and commercial applications.



### Square Edge Stair Nosings

Hickory Impressions stair nosing allows you to continue your floor scheme where there are stairs. Colours are available for the entire range.

- Architecturally designed
- Manufactured from pre-finished engineered timber
- 1890mm x 90mm x 12mm



### Solid Timber Scotia

Finish the edge of your Hickory Impressions floor with our premium designed solid scotia. Colours are available for the entire range.

- Manufactured from solid timber
- 1900mm x 18mm x 18mm



### SelectTrims - Adjustable

We offer high quality aluminium adjustable trims to finish off your floor space.

- Available profiles: C-Channel + H-Channel
- C-Channel: 3400mm x 22mm x 12-15mm
- H-Channel: 3400mm x 38mm x 12-15mm
- Available in Black, Champagne, Silver and Woodgrain finishes.





SelectCare+
Floor Cleaning Solutions







+ U

Keep it clean with Australian Select Timbers SelectCare<sup>+</sup> Your complete floor care cleaning solution.

# Australian Select Timbers®

www.asttimbers.com.au